

## BDICL – Risk Assessment

What are the hazards?	Transmission of COVID-19	
Who might be harmed?	Facility users, staff, volunteers, visitors and the wider community	
No	Controls required	Action Taken by the Club
<b>Facility Capacities</b>		
	Have you determined the safe capacity of your field of play and grounds for both organised cricket activity and off-field activities (subject to the Rule of 6 or as a group made up of two households), accounting for social distancing, legal gathering size limits and supervision ratios where applicable?	30 people maximum during a game or during training.
	Have you determined the safe capacity of your facilities accounting for social distancing and legal gathering size limits?	During games the following will apply: A maximum of 14 people will be in the sports hall at any one time.
<b>Organised activities</b>		
	Have you reviewed playing guidance and make suitable adaptation to your approach to practice and matches?	Matches will take place under the guidance provided by the ECB and any specific rules laid down by Braintree Leisure Centre.
	Have you reviewed supervision ratios and adapt group sizes for supervised children's activities accordingly? Have you ensured safeguarding procedures are being followed, even under COVID restrictions?	Yes. Ratios and procedures will, as a minimum, follow the latest ECB guidelines.
	Have you assessed control measures for preventing spectators (with limited exceptions – see guidance)?	Spectators will be controlled as per the latest guidance from Braintree Leisure Centre and as a standard consecutive seats should not be occupied on the gallery

## People Management and Communication

	Establish what restrictions are in place for your venue location including restrictions on gathering size limits in line with the UK Government Roadmap and ensure your control measures are appropriate.	Awaiting guidance from Braintree Leisure Centre
	Self-screening of individuals before they arrive at the venue to ensure individuals displaying COVID symptoms or those who should be shielding do not travel or attend.	Players and officials will be communicated to as appropriate via the League website
	Ensure that NHS Test and Trace data collection system is in place and that it is compliant with Information Commissioner's Office guidance.	Players will be asked to use the Test and Trace QR code at Braintree Leisure Centre
	Ensure that your NHS QR Code poster has been produced and displayed for use by visitors.	
	An assessment of user numbers, space capacities, venue circulation and layout planning to maintain social distancing.	14 people maximum in the hall at 1 time – BLC to provide venue circulation details
	A plan for where parents and players will sit whilst watching cricket activities.	Social distanced appropriate seating will be available as appropriate to the Guidelines.
	Signage and communication so that all participants and visitors (including spectators) are aware of the control measures in place and how to act appropriately to minimise the risk of transmission of COVID-19.	As per BLC standard signage

## Buildings

	Assess the maximum occupancy of your rooms in order to ensure Social Distancing can be maintained, and establish a suitable circulation system / one-way system. Use signage and floor markings to communicate this.	14 people maximum in the hall at 1 time – Spectators will be controlled as per the latest guidance from Braintree Leisure Centre and as a standard consecutive seats should not be occupied on the gallery
	Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission.	As above

## Social and Hospitality Areas

	Have you ensured your social and hospitality areas will remain closed?	N/A
--	--	-----

<b>Hygiene and Cleaning</b>		
	Develop an appropriate cleaning plan	As Per BLC Cleaning Schedule
	Materials, PPE and training that you have provided to your staff for effective cleaning.	Will be supplied as appropriate.
	Provision of hand washing facilities with warm water, soap, disposable towels and bin.	Will be supplied as appropriate
	Provision of suitable hand sanitiser in locations around the facility to maintain frequent hand sanitisation.	4 new permanent hand sanitisers will be put in place at entrances to the ground and the pavilion. Temporary bottles of hand sanitisers will be available to be used as required.
	Provision of suitable wipes and hand sanitiser on the field for Hygiene Breaks.	Will be supplied as appropriate.
<b>What are the hazards?</b>	Other venue hazards to be considered after temporary closure such as Legionnaire's Disease, fire, electrical safety etc.	
<b>Who might be harmed?</b>	Facility users, staff, volunteers and visitors	
<b>Controls required</b>	<b>Action Taken by the Club</b>	
<b>Preparing Your Buildings</b>		
	Consider the risk of Legionnaire's disease and carry out necessary work to make your water supply safe for users. Refer to the specific guidance in the document above.	Standard servicing of water supply carried out as per BLC schedule
	Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning).	As per BLC facilities maintenance schedule
<b>What are the hazards?</b>	Vital first aid equipment is not available when needed. First aiders do not have adequate PPE to carry out first aid when required.	
<b>Who might be harmed?</b>	First aiders, facility users, staff, volunteers and visitors	
<b>Controls required</b>	<b>Action Taken by the Club</b>	

First Aid		
	Check that your first aid kits are stocked and accessible during all activity.	As per BLC standards
	What steps have you taken to improve your first aiders' understanding of first aid provision under COVID?	As per BLC standards
	If you have an AED then check that it is in working order, service is up to date and that it is available during all activity.	As per BLC standards
What are the hazards?	Facilities are unsafe to play on	
Who might be harmed?	Players, officials, ground staff	
Controls required	Action Taken by the Club	
Preparing your grounds		
	Safety checks on machinery, sightscreens and covers.	Mat to be checked and taped down at the start of play
	Check and repair of any damage to pitches and outfields.	Mat to be checked and taped down at the start of play – any water on the sports hall floor to be flagged to BLC staff immediately
	Check and repair of any damage to practice facilities including nets	N/A